


Dial Test Indicator, Horizontal Type

Item number: 513-415-10A

Images



Description

This is a Dial Test Indicator (Lever Type) which offers you the following benefits:


- Drastically enhanced durability, sensitivity and visibility.
- Glare-free flat crystal face allows easy reading of graduations.

- O-ring seal on the bezel has the effect of providing smooth rotation and prevents dust and oil from penetrating through to the dial face.
- The stylus length is on the dial face to reorder a replacement
- Multi-layer coatings on the crystal.

Features

Digital/Analog:	Analog
Inch-Metric:	Metric
Range:	1 mm
Graduation:	0.01 mm
MPE any 10 scale divisions:	5 µm
MPE any 1/2 revolution:	8 µm
MPE measuring range:	10 µm
H MPE (Hysteresis):	4 µm
R MPE (Repeatability):	3 µm
Carbide stylus tip ø2 mm No.:	136013
Contact point:	Thread M 1,7 x 0,35
Remarks:	Plus set
Mass:	45 g
Delivered:	In a box with stem ø8/4 mm, stylus ø1/2/3 mm
Quantity Outer Box (Applies to bulk orders):	50 pcs
Quantity Inner Box (Applies to bulk orders):	10 pcs

Dimensions



Accessories

Optional accessories:



Stem for Standard Type Series 513

D=4mm
Art No. 21CAB106
Suggested retail price: **16.00 €***



Stem for Standard Type Series 513

D=8mm
Art No. 21CAB104
Suggested retail price: **16.00 €***



Stylus for Serie 513

D= 1mm, 41mm Length, Carbide
Art No. 136235
Suggested retail price: **16.00 €***



Stylus for Serie 513

D= 2mm, 41mm Length, Carbide
Art No. 136013
Suggested retail price: **19.00 €***



Stylus for Serie 513

D=3mm, 41mm Length, Carbide
Art No. 136236
Suggested retail price: **16.00 €***



Knurled Clamp Ring for Stem

Lever Indicator Serie 513
Art No. 190322
Suggested retail price: **13.00 €***