



## Dial Gauge, Lug Back, ISO Type

Item number: 2046A

### Images



### Description

#### Standard Type, 10 mm Range, 0,01 mm Graduation

This is a standard dial indicator with a bezel  $\varnothing$  57 mm. It offers you the following benefits:

- Bezel clamp and lifting lever (optional) can be attached to either right or left side. They can be easily installed and removed without tools.
- No through screw holes on the frame as well as the use of an O-ring prevents water or oil penetration.

### Specification





### Limit Hands (green) 2pcs

Dial Indicator Series 2/3/4  
Art No. 21AZB195



### Bezel Clamp for Dial Gauge

Metric, Series 2/3/4  
Art No. 21AZB148



### Spindle Lifting Lever

for Digital Indicator, A-Type Dial Indicator  
Serie 2/3/4  
Art No. 21EZA198  
£8.10 ex. VAT



### Spindle Lifting Cable

for Indicator, L=500mm  
Art No. 21JZA295



### Spindle Lifting Cable with Auto Stop

for Indicator, L=300mm  
Art No. 21JZA301

**Spare parts**

**Consumable spares:**

---



**Contact Element Ball Point,  
M2,5x0,45**

7,3mm Length, Carbide, Metric

Art No. 901312

£8.10 ex. VAT

---