



## Digital Micrometer IP65, Inch/Metric

Item number: 293-341-30

**Images**




## Description

A Mitutoyo waterproof digital micrometer suitable for use in the presence of coolant or cutting oil. The highly stable frame incorporates a heat shield to preserve accuracy over extended measuring sessions. A ratchet stop guarantees repeatable measurement.

## Specification

<b>Digital/Analog:</b>	Digital
<b>Inch-Metric:</b>	Inch/Metric
<b>Range:</b>	1-2 "
<b>Digital step:</b>	0,00005"/0,001 mm
<b>Max. Permissible Error E MPE:</b>	±0,00005"
<b>Variation in length V MPE:</b>	0,00004"
<b>Class EN ISO 3611:</b>	Class 1
<b>Display:</b>	LCD, character height 7,5 mm
<b>Measuring face:</b>	Carbide-tipped, micro-lap finish
<b>Measuring spindle:</b>	With spindle lock, $\varnothing$ 6,35 mm, spindle pitch 0,5 mm
<b>Scale:</b>	Thimble and sleeve satin chrome finish, $\varnothing$ 18 mm
<b>Data output:</b>	No
<b>Measuring force:</b>	5 - 10 N
<b>Power supply:</b>	1 battery SR-44
<b>Battery life:</b>	Approx. 2,4 years for models $\leq$ 4" 1,2 years for $>$ 4"
<b>ABS / INC (INC ZERO):</b>	Yes
<b>Auto Power OFF after 20 min. non use:</b>	Yes
<b>Low voltage alarm:</b>	Yes
<b>Function lock:</b>	Yes
<b>HOLD:</b>	Yes
<b>2 x PRESET (over 100 mm):</b>	Yes
<b>Delivered:</b>	Including box, spanner, SR44 battery, setting standard, certificate of inspection
<b>Mass:</b>	330 g

## Dimensions



**L:** 25 mm

**a:** 7.3 mm

**b:** 32.5 mm

**c:** 2.5 mm

**Accessories****Optional accessories:****Micrometer Stand, 45° Angle Type**

for Micrometer 0-50mm/0-2"

Art No. 156-105-10

**£51.24** inc. VAT

£42.70 ex. VAT

**Micrometer Stand, Adjustable Angle Type**

for Micrometer 0-100mm/0-4"

Art No. 156-101-10

**£67.44** inc. VAT

£56.20 ex. VAT

**Standard accessories:****Micrometer Setting Standard**

Length: 1"

Art No. 167-141

**£20.76** inc. VAT

£17.30 ex. VAT

**Spare parts****Consumable spares:**

### Battery SR44 1,5 V

Art No. 63AAA800

