



## Digital ABS AOS Caliper

Item number: 500-196-30

### Images



### Description


A Mitutoyo digital caliper equipped with standard outside and inside jaws. Hardened stainless steel construction and equipped with the latest electromagnetic ABSOLUTE AOS System scale for error free, high-speed measurement.

### Specification

|                                      |  |
|--------------------------------------|--|
| <b>Model:</b>                        | CD-6"ASX   |
| <b>Range:</b>                        | 0-6" / 0-150 mm  |
| <b>Depth bar:</b>                    | flat   |
| <b>Thumb roller:</b>                 | Yes  |
| <b>Data output:</b>                  | No   |
| <b>Max. Permissible Error E MPE:</b> | ±0.001" / ±0.02 mm   |
| <b>Max. Permissible Error S MPE:</b> | ±0.002" / ±0.04 mm   |
| <b>Digital step:</b>                 | 0.0005" / 0.01 mm  |
| <b>Max. response speed:</b>          | Unlimited  |
| <b>Display:</b>                      | LCD, character height 9 mm (150, 200 mm)<br>11 mm (300 mm) |
| <b>ORIGIN (ABS-Zero):</b>            | Yes  |
| <b>ON/OFF:</b>                       | Yes  |

|                              |  |
|------------------------------|--|
| <b>ABS / INC (INC ZERO):</b> | Yes  |
| <b>Low voltage alarm:</b>    | Yes  |
| <b>Battery life:</b>         | Approx. 5 years under normal use                       |
| <b>Mass:</b>                 | 168 g  |
| <b>Delivered:</b>            | Including box, SR44 battery, certificate of inspection |

### Dimensions



|           |         |
|-----------|---------|
| <b>L:</b> | 233 mm  |
| <b>A:</b> | 16.5 mm |
| <b>B:</b> | 21 mm   |
| <b>C:</b> | 14.5 mm |
| <b>D:</b> | 40 mm   |
| <b>H:</b> | 16 mm   |

### Accessories


#### Optional accessories:



#### Depth Base Attachment for Caliper

75mm width for 100, 150, 200mm Range  
Art No. 050083-10

**£61.68** inc. VAT  
£51.40 ex. VAT



#### Depth Base Attachment for Caliper

100mm width for 100, 150, 200mm Range  
Art No. 050084-10

**£70.32** inc. VAT  
£58.60 ex. VAT

### Spare parts

#### Consumable spares:

## Battery SR44 1,5 V

Art No. 63AAA800

