




## Digital ABS AOS Caliper

Item number: 500-197-30

### Images



### Description


A Mitutoyo digital caliper equipped with standard outside and inside jaws. Hardened stainless steel construction and equipped with the latest electromagnetic ABSOLUTE AOS System scale for error free, high-speed measurement.

### Specification


<b>Model:</b>	CD-8"ASX
<b>Range:</b>	0-8" / 0-200 mm
<b>Depth bar:</b>	flat
<b>Thumb roller:</b>	Yes
<b>Data output:</b>	No
<b>Max. Permissible Error E MPE:</b>	±0.001" / ±0.02 mm
<b>Max. Permissible Error S MPE:</b>	±0.002" / ±0.04 mm
<b>Digital step:</b>	0.0005" / 0.01 mm
<b>Max. response speed:</b>	Unlimited
<b>Display:</b>	LCD, character height 9 mm (150, 200 mm) 11 mm (300 mm)
<b>ORIGIN (ABS-Zero):</b>	Yes
<b>ON/OFF:</b>	Yes
<b>ABS / INC (INC ZERO):</b>	Yes
<b>Low voltage alarm:</b>	Yes
<b>Battery life:</b>	Approx. 5 years under normal use
<b>Mass:</b>	198 g

**Delivered:**

Including box, SR44 battery, certificate of inspection

**Dimensions****L:** 290 mm**A:** 20 mm**B:** 24.5 mm**C:** 18 mm**D:** 50 mm**H:** 16 mm**Accessories****Optional accessories:****Depth Base Attachment for Caliper**75mm width for 100, 150, 200mm Range  
Art No. 050083-10**£61.68** inc. VAT

£51.40 ex. VAT

**Depth Base Attachment for Caliper**100mm width for 100, 150, 200mm Range  
Art No. 050084-10**£70.32** inc. VAT

£58.60 ex. VAT

**Spare parts****Consumable spares:**

### Battery SR44 1,5 V

Art No. 63AAA800

