

Dial Indicator Thickness Gauge

Item number: 7301A

Images



Description

This Dial Indicator Thickness Gauge enables you to measure tube wall thickness, film/paper etc. with flat contact points, resp. lens thickness or groove depth.

Features

Inch-Metric:	Metric
Functions:	Ceramic disc contact points
Range:	0 - 10 mm
Graduation:	0.01 mm
Parallelism:	5 μ m
Indicator No.:	2,046AB
Max. measuring depth:	30 mm

Measuring force:

$\leq 1,4$ N

Contact point:

Thread M 2.5 x 0.45 mm

Type:

Ceramic disc contact points


Mass:

205 g

Delivered:

In a box with spindle lifting lever
21AZB149

Dimensions



Accessories

Optional accessories:



Limit Hands (green) 2pcs

Dial Indicator Series 2/3/4

Art No. 21AZB195

Price on application



Bezel Clamp for Dial Gauge

Metric, Series 2/3/4

Art No. 21AZB148

[Price on application](#)

Spare parts

Consumable spares:



Spindle Lifting Lever

for S-Type Series 2,3,4 up to 10mm/0,4"

Art No. 21AZB149

[Price on application](#)



Spindle Lifting Lever

for S and A-Type Series 2,3 >10/0,4" up to 20mm/0,8"

Art No. 21AZB150

[Price on application](#)

